

Thu Feb 21 17:58:49 BRT 2019

Serial: 20004071

Firmware: 6.3

Patchlevel: 39

---- start ----

```
Info    0:00  Calibration Finished
Info    0:08  Rescue has been activated
Info    0:08  Rescue has been completed
OK      0:18  Good Health Message (10sec)
Info    0:26  Bank 2 Loaded
Info    0:27  Governor Mode Pitch
Info    0:27  Motor Switch operated to ON
Warn    0:37  High Vibration Level
Info    0:46  Raised Vibration Level
Info    0:55  Raised Vibration Level
Info    1:04  Raised Vibration Level
Info    1:13  Raised Vibration Level
Info    1:23  Raised Vibration Level
Warn    1:32  High Vibration Level
Info    1:41  Raised Vibration Level
Warn    1:50  High Vibration Level
Warn    1:59  High Vibration Level
Info    2:08  Raised Vibration Level
OK      2:18  Good Health Message (10sec)
OK      2:28  Good Health Message (10sec)
OK      2:38  Good Health Message (10sec)
OK      2:48  Good Health Message (10sec)
OK      2:58  Good Health Message (10sec)
OK      3:08  Good Health Message (10sec)
OK      3:18  Good Health Message (10sec)
Info    3:22  Raised Vibration Level
Info    3:30  Governor OFF
Info    3:30  Motor Switch operated to OFF
Info    3:34  Bank 1 Loaded
Info    3:40  Raised Vibration Level
Info    3:41  Bank 2 Loaded
Info    3:47  Governor Mode Pitch
Info    3:47  Motor Switch operated to ON
OK      3:57  Good Health Message (10sec)
Warn    3:59  High Vibration Level
Info    4:08  Raised Vibration Level
Info    4:16  Governor OFF
Info    4:16  Motor Switch operated to OFF
Info    4:17  Raised Vibration Level
Info    4:22  Bank 1 Loaded
Warn    4:26  High Vibration Level
OK      4:36  Good Health Message (10sec)

OK      0:00  Reset Reason: Power On
Warn    0:02  Init Failed, retrying...
Info    0:06  Calibration Finished
OK      0:16  Good Health Message (10sec)
Info    0:20  Rescue has been activated
```

Info	0:21	Rescue has been completed
OK	0:31	Good Health Message (10sec)
Info	0:41	Bank 2 Loaded
Info	0:41	Governor Mode Pitch
Info	0:41	Motor Switch operated to ON
OK	0:51	Good Health Message (10sec)
OK	1:01	Good Health Message (10sec)
Info	1:02	Raised Vibration Level
Info	1:11	Raised Vibration Level
Info	1:20	Raised Vibration Level
Info	1:29	Raised Vibration Level
Info	1:38	Raised Vibration Level
OK	1:48	Good Health Message (10sec)
Info	1:57	Raised Vibration Level
Warn	2:06	High Vibration Level
Info	2:15	Raised Vibration Level
Info	2:24	Raised Vibration Level
Info	2:33	Raised Vibration Level
Info	2:43	Raised Vibration Level
Info	2:52	Raised Vibration Level
Info	3:01	Raised Vibration Level
Info	3:10	Raised Vibration Level
Info	3:19	Raised Vibration Level
Warn	3:28	High Vibration Level
Warn	3:38	High Vibration Level
Info	3:47	Raised Vibration Level
Warn	3:56	High Vibration Level
Warn	4:05	High Vibration Level
Info	4:14	Raised Vibration Level
Info	4:19	Governor OFF
Info	4:19	Motor Switch operated to OFF
Warn	4:24	High Vibration Level
Info	4:33	Raised Vibration Level
OK	4:43	Good Health Message (10sec)
Info	4:53	Bank 1 Loaded
Info	4:53	Bank 2 Loaded
Info	4:54	Governor Mode Pitch
Info	4:54	Motor Switch operated to ON
OK	5:04	Good Health Message (10sec)
Warn	5:09	High Vibration Level
Info	5:19	Raised Vibration Level
Warn	5:28	High Vibration Level
Info	5:35	Governor OFF
Info	5:35	Motor Switch operated to OFF
Info	5:37	Raised Vibration Level
Info	5:41	Bank 1 Loaded
Critical	5:46	Extreme Vibration Level
OK	5:56	Good Health Message (10sec)
OK	0:00	Reset Reason: Power On
Info	0:05	Calibration Finished
Info	0:13	Rescue has been activated
Info	0:14	Rescue has been completed
OK	0:24	Good Health Message (10sec)

Info 0:34 Bank 2 Loaded
Info 0:35 Bank 1 Loaded
Info 0:35 Bank 2 Loaded
Info 0:36 Governor Mode Pitch
Info 0:36 Motor Switch operated to ON
Info 0:42 Raised Vibration Level
Info 0:51 Raised Vibration Level
Info 1:00 Raised Vibration Level
Warn 1:09 High Vibration Level
Info 1:19 Raised Vibration Level
Info 1:28 Raised Vibration Level
Info 1:37 Raised Vibration Level
Info 1:46 Raised Vibration Level
Warn 1:55 High Vibration Level
Info 2:04 Raised Vibration Level
Info 2:14 Raised Vibration Level
Info 2:23 Raised Vibration Level
Warn 2:32 High Vibration Level
Info 2:41 Raised Vibration Level
Info 2:50 Raised Vibration Level
Info 3:00 Raised Vibration Level
Info 3:09 Raised Vibration Level
Info 3:18 Raised Vibration Level
OK 3:28 Good Health Message (10sec)
Info 3:36 Raised Vibration Level
Info 3:45 Raised Vibration Level
Info 3:55 Raised Vibration Level
Info 4:04 Raised Vibration Level
Warn 4:13 High Vibration Level
Warn 4:22 High Vibration Level
Info 4:28 Governor OFF
Info 4:28 Motor Switch operated to OFF
Warn 4:31 High Vibration Level
Info 4:34 Bank 1 Loaded
Warn 4:41 High Vibration Level
OK 4:51 Good Health Message (10sec)

OK 0:00 Reset Reason: Power On
Warn 0:02 Init Failed, retrying...
Info 0:08 Calibration Finished
OK 0:18 Good Health Message (10sec)
OK 0:28 Good Health Message (10sec)
OK 0:38 Good Health Message (10sec)
OK 0:48 Good Health Message (10sec)
OK 0:58 Good Health Message (10sec)
OK 1:08 Good Health Message (10sec)
Info 1:13 Bank 1 Loaded
Info 1:13 Bank 2 Loaded
Info 1:14 Bank 2 Loaded
Info 1:14 Governor Mode Pitch
Info 1:14 Motor Switch operated to ON
Info 1:22 Raised Vibration Level
Info 1:31 Raised Vibration Level
Info 1:40 Raised Vibration Level

Warn 1:49 High Vibration Level
OK 1:59 Good Health Message (10sec)
Info 2:08 Raised Vibration Level
Info 2:17 Raised Vibration Level
OK 2:27 Good Health Message (10sec)
Info 2:35 Raised Vibration Level
Info 2:44 Raised Vibration Level
Info 2:54 Raised Vibration Level
Info 3:03 Raised Vibration Level
Info 3:12 Raised Vibration Level
Info 3:21 Raised Vibration Level
Info 3:30 Raised Vibration Level
Info 3:39 Raised Vibration Level
Info 3:49 Raised Vibration Level
Warn 3:58 High Vibration Level
Info 4:07 Raised Vibration Level
Info 4:16 Raised Vibration Level
Info 4:17 Governor OFF
Info 4:17 Motor Switch operated to OFF
Info 4:22 Bank 1 Loaded
Info 4:25 Raised Vibration Level
Info 4:35 Bank 2 Loaded
Info 4:36 Governor Mode Pitch
Info 4:36 Motor Switch operated to ON
Info 4:44 Raised Vibration Level
OK 4:54 Good Health Message (10sec)
OK 5:04 Good Health Message (10sec)
Info 5:11 Raised Vibration Level
Critical 5:20 Extreme Vibration Level
Info 5:30 Raised Vibration Level
Info 5:39 Raised Vibration Level
Info 5:42 Governor OFF
Info 5:42 Motor Switch operated to OFF
Info 5:48 Bank 1 Loaded
Warn 5:48 High Vibration Level
OK 5:58 Good Health Message (10sec)

OK 0:00 Reset Reason: Power On
Info 0:05 Calibration Finished
OK 0:15 Good Health Message (10sec)
Info 0:22 Rescue has been activated
Info 0:23 Rescue has been completed
OK 0:33 Good Health Message (10sec)
OK 0:43 Good Health Message (10sec)
Info 0:49 Bank 2 Loaded
Info 0:50 Governor Mode Pitch
Info 0:50 Motor Switch operated to ON
Warn 1:00 High Vibration Level
OK 1:10 Good Health Message (10sec)
Warn 1:18 High Vibration Level
Info 1:28 Raised Vibration Level
Warn 1:37 High Vibration Level
Warn 1:46 High Vibration Level
Info 1:55 Raised Vibration Level

Info 2:04 Raised Vibration Level
Info 2:13 Raised Vibration Level
OK 2:23 Good Health Message (10sec)
Info 2:32 Raised Vibration Level
Info 2:41 Raised Vibration Level
Info 2:50 Raised Vibration Level
Info 2:59 Raised Vibration Level
Info 3:09 Raised Vibration Level
Info 3:18 Raised Vibration Level
Warn 3:27 High Vibration Level
Info 3:36 Raised Vibration Level
Info 3:45 Raised Vibration Level
Info 3:50 Rescue has been activated

OK 0:00 Reset Reason: Power On
Info 0:05 Calibration Finished

OK 0:00 Reset Reason: Power On
Info 0:05 Calibration Finished
Info 0:08 Rescue has been activated
Info 0:09 Rescue has been completed
Warn 0:13 The Cyclic Ring is active
OK 0:23 Good Health Message (10sec)
OK 0:33 Good Health Message (10sec)
OK 0:43 Good Health Message (10sec)
OK 0:53 Good Health Message (10sec)
Info 0:55 Rescue has been activated
Info 0:56 Rescue has been completed
OK 1:06 Good Health Message (10sec)
OK 1:16 Good Health Message (10sec)
OK 1:26 Good Health Message (10sec)
OK 1:36 Good Health Message (10sec)
Info 1:37 Rescue has been activated
Info 1:38 Rescue has been completed
Info 1:45 Rescue has been activated
Info 1:45 Rescue has been completed

OK 0:00 Reset Reason: Power On
Warn 0:02 Init Failed, retrying...
OK 0:12 Good Health Message (10sec)

OK 0:00 Reset Reason: Power On
Info 0:05 Calibration Finished
OK 0:15 Good Health Message (10sec)
OK 0:25 Good Health Message (10sec)
OK 0:35 Good Health Message (10sec)

OK 0:00 Reset Reason: Power On
Info 0:06 Calibration Finished
Warn 0:15 High Vibration Level
Critical 0:24 Extreme Vibration Level
Info 0:33 Raised Vibration Level
OK 0:43 Good Health Message (10sec)
Info 0:52 Raised Vibration Level

OK 1:02 Good Health Message (10sec)
Info 1:10 Raised Vibration Level
Warn 1:19 High Vibration Level
OK 1:29 Good Health Message (10sec)
Warn 1:38 High Vibration Level
Critical 1:47 Extreme Vibration Level
Critical 1:50 Aileron Sensor Value out of Range
Critical 1:56 Extreme Vibration Level
OK 2:06 Good Health Message (10sec)
OK 2:16 Good Health Message (10sec)
OK 2:26 Good Health Message (10sec)
Info 2:33 Raised Vibration Level
OK 2:43 Good Health Message (10sec)
Critical 2:51 Extreme Vibration Level

OK 0:00 Reset Reason: Power On
Info 0:05 Calibration Finished
Info 0:08 Rescue has been activated
Info 0:08 Rescue has been completed
Info 0:10 Rescue has been activated
Info 0:11 Rescue has been completed
Info 0:12 Rescue has been activated
Info 0:13 Rescue has been completed
Warn 0:14 Supply Voltage dropped below 4.5V
Info 0:14 Rescue has been activated
Info 0:15 Rescue has been completed

OK 0:00 Reset Reason: Power On
Info 0:05 Calibration Finished
OK 0:15 Good Health Message (10sec)
OK 0:25 Good Health Message (10sec)
OK 0:35 Good Health Message (10sec)
OK 0:45 Good Health Message (10sec)
OK 0:55 Good Health Message (10sec)
OK 1:05 Good Health Message (10sec)
OK 1:15 Good Health Message (10sec)
Info 1:24 Rescue has been activated
Info 1:25 Rescue has been completed

OK 0:00 Reset Reason: Power On
Info 0:05 Calibration Finished
Warn 0:06 RC Input Packet lost
OK 0:16 Good Health Message (10sec)

---- end ----