

Sun Dec 29 18:40:10 BRST 2019
Serial: 20018610
Firmware: 6.3
Patchlevel: 52
---- start ----

Info 0:00 Bank 2 Loaded
Info 0:01 Bank 1 Loaded
Info 0:02 Bank 1 Loaded
Info 0:02 Bank 2 Loaded
Info 0:03 Bank 2 Loaded
Info 0:03 Bank 3 Loaded
Info 0:04 Bank 1 Loaded
Info 0:04 Bank 2 Loaded
OK 0:14 Good Health Message (10sec)
OK 0:24 Good Health Message (10sec)
OK 0:34 Good Health Message (10sec)
OK 0:44 Good Health Message (10sec)
OK 0:54 Good Health Message (10sec)

OK 0:00 Reset Reason: Power On

Info 0:00 Bank 2 Loaded

Info 0:00 Motor Switch operated to Idle bailout
OK 0:10 Good Health Message (10sec)
OK 0:20 Good Health Message (10sec)
OK 0:30 Good Health Message (10sec)

OK 0:00 Reset Reason: Power On

Info 0:00 Bank 2 Loaded

Info 0:00 Motor Switch operated to Idle bailout
Info 0:01 Bank 1 Loaded
Info 0:01 Motor Switch operated to OFF
Info 0:05 Calibration Finished
OK 0:15 Good Health Message (10sec)
OK 0:25 Good Health Message (10sec)
Info 0:35 Rescue has been activated
Info 0:36 Rescue has been completed
Info 0:36 Governor Mode Pitch
Info 0:36 Motor Switch operated to ON
OK 0:46 Good Health Message (10sec)
Info 0:49 Governor is at Low Throttle Limit
Info 0:51 Raised Vibration Level
Info 0:56 Bank 2 Loaded
Info 1:00 Raised Vibration Level
Info 1:04 Governor OFF
Info 1:04 Motor Switch operated to OFF
Info 1:09 Raised Vibration Level
Info 1:19 Bank 1 Loaded
Info 1:21 Governor Mode Pitch
Info 1:21 Motor Switch operated to ON

OK	1:31	Good Health Message (10sec)
Info	1:33	Governor is at Low Throttle Limit
Info	1:37	Raised Vibration Level
Info	1:39	Bank 2 Loaded
Info	1:46	Raised Vibration Level
Info	1:55	Raised Vibration Level
OK	2:05	Good Health Message (10sec)
OK	2:15	Good Health Message (10sec)
Info	2:21	Governor OFF
Info	2:21	Motor Switch operated to OFF
Info	2:23	Raised Vibration Level
Info	2:23	Governor Mode Pitch
Info	2:23	Motor Switch operated to ON
OK	2:33	Good Health Message (10sec)
Info	2:38	Bank 1 Loaded
Info	2:38	Governor OFF
Info	2:38	Motor Switch operated to OFF
Info	2:41	Raised Vibration Level
Info	2:50	Raised Vibration Level
OK	3:00	Good Health Message (10sec)
Info	3:02	Bank 2 Loaded
Info	3:03	Bank 1 Loaded
Info	3:07	Bank 2 Loaded
Info	3:16	Bank 3 Loaded
Info	3:22	Bank 2 Loaded
Info	3:23	Bank 1 Loaded
Info	3:28	Bank 2 Loaded
Info	3:29	Governor Mode Pitch
Info	3:29	Motor Switch operated to ON
OK	3:39	Good Health Message (10sec)
Info	3:41	Governor is at Low Throttle Limit
Info	3:45	Raised Vibration Level
OK	3:55	Good Health Message (10sec)
Info	4:04	Raised Vibration Level
Info	4:13	Raised Vibration Level
Info	4:22	Raised Vibration Level
Info	4:23	Governor OFF
Info	4:23	Motor Switch operated to OFF
Warn	4:31	High Vibration Level
Info	4:34	Governor Mode Pitch
Info	4:34	Motor Switch operated to ON
OK	4:44	Good Health Message (10sec)
Info	4:47	Governor is at Low Throttle Limit
Info	4:50	Raised Vibration Level
Info	4:59	Raised Vibration Level
Info	5:08	Raised Vibration Level
Info	5:13	Governor OFF
Info	5:13	Motor Switch operated to OFF
Info	5:17	Raised Vibration Level
OK	5:27	Good Health Message (10sec)
Info	5:31	Governor Mode Pitch
Info	5:31	Motor Switch operated to ON
OK	5:41	Good Health Message (10sec)
Info	5:44	Governor is at Low Throttle Limit

Info	5:54	Raised Vibration Level
Info	6:03	Raised Vibration Level
Info	6:08	Governor OFF
Info	6:08	Motor Switch operated to OFF
Info	6:12	Raised Vibration Level
Info	6:15	Governor Mode Pitch
Info	6:15	Motor Switch operated to ON
Info	6:25	Governor OFF
Info	6:25	Motor Switch operated to OFF
OK	6:35	Good Health Message (10sec)
Info	6:37	Governor Mode Pitch
Info	6:37	Motor Switch operated to ON
OK	6:47	Good Health Message (10sec)
Info	6:50	Governor is at Low Throttle Limit
Info	6:58	Raised Vibration Level
Info	7:07	Raised Vibration Level
Info	7:16	Raised Vibration Level
Info	7:18	Governor OFF
Info	7:18	Motor Switch operated to OFF
Info	7:26	Raised Vibration Level
OK	7:36	Good Health Message (10sec)
Info	7:39	Bank 1 Loaded
Info	7:41	Bank 2 Loaded
OK	7:51	Good Health Message (10sec)
Info	7:58	Governor Mode Pitch
Info	7:58	Motor Switch operated to ON
OK	8:08	Good Health Message (10sec)
Info	8:11	Governor is at Low Throttle Limit
Info	8:21	Raised Vibration Level
Info	8:30	Raised Vibration Level
Info	8:39	Raised Vibration Level
Info	8:48	Raised Vibration Level
Warn	8:57	High Vibration Level
Info	8:57	Governor OFF
Info	8:57	Motor Switch operated to OFF
Info	9:07	Raised Vibration Level
OK	9:17	Good Health Message (10sec)
OK	9:27	Good Health Message (10sec)
OK	9:37	Good Health Message (10sec)
Info	9:40	Governor Mode Pitch
Info	9:40	Motor Switch operated to ON
OK	9:50	Good Health Message (10sec)
Info	9:55	Governor OFF
Info	9:55	Motor Switch operated to OFF
Info	9:58	Bank 1 Loaded
OK	10:08	Good Health Message (10sec)
OK	0:00	Reset Reason: Power On
Info	0:00	Bank 2 Loaded
Info	0:00	Motor Switch operated to Idle bailout
Info	0:01	Bank 1 Loaded
Info	0:01	Motor Switch operated to OFF

Warn	0:02	Init Failed, retrying...
Info	0:07	Calibration Finished
OK	0:17	Good Health Message (10sec)
OK	0:27	Good Health Message (10sec)
Info	0:36	Bank 2 Loaded
Info	0:36	Governor Mode Pitch
Info	0:36	Motor Switch operated to ON
OK	0:46	Good Health Message (10sec)
Info	0:55	Governor OFF
Info	0:55	Motor Switch operated to OFF
OK	1:05	Good Health Message (10sec)
Info	1:15	Governor Mode Pitch
Info	1:15	Motor Switch operated to ON
OK	1:25	Good Health Message (10sec)
Info	1:28	Governor is at Low Throttle Limit
Info	1:30	Raised Vibration Level
Info	1:39	Raised Vibration Level
Info	1:48	Raised Vibration Level
Info	1:57	Raised Vibration Level
Info	2:07	Raised Vibration Level
Info	2:16	Raised Vibration Level
Info	2:25	Raised Vibration Level
Info	2:34	Raised Vibration Level
Info	2:40	Governor OFF
Info	2:40	Motor Switch operated to OFF
Info	2:43	Raised Vibration Level
Info	2:52	Raised Vibration Level
OK	3:02	Good Health Message (10sec)
OK	3:12	Good Health Message (10sec)
OK	3:22	Good Health Message (10sec)
Info	3:23	Bank 1 Loaded
Info	3:25	Bank 2 Loaded
Info	3:26	Bank 3 Loaded
Info	3:27	Bank 2 Loaded
Info	3:35	Governor Mode Pitch
Info	3:35	Motor Switch operated to ON
OK	3:45	Good Health Message (10sec)
Info	3:48	Governor is at Low Throttle Limit
Info	3:57	Raised Vibration Level
Info	4:06	Raised Vibration Level
Warn	4:15	High Vibration Level
Info	4:19	Governor OFF
Info	4:19	Motor Switch operated to OFF
Info	4:24	Raised Vibration Level
Info	4:27	Governor Mode Pitch
Info	4:27	Motor Switch operated to ON
OK	4:37	Good Health Message (10sec)
OK	4:47	Good Health Message (10sec)
Info	4:51	Governor OFF
Info	4:51	Motor Switch operated to OFF
Info	4:56	Governor Mode Pitch
Info	4:56	Motor Switch operated to ON
OK	5:06	Good Health Message (10sec)
Info	5:08	Governor is at Low Throttle Limit

Info	5:10	Raised Vibration Level
Info	5:19	Raised Vibration Level
Info	5:27	Governor OFF
Info	5:27	Motor Switch operated to OFF
Info	5:29	Raised Vibration Level
Warn	5:38	High Vibration Level
OK	5:48	Good Health Message (10sec)
Info	5:57	Bank 1 Loaded
Info	5:58	Bank 2 Loaded
Info	6:06	Governor Mode Pitch
Info	6:06	Motor Switch operated to ON
OK	6:16	Good Health Message (10sec)
Info	6:19	Governor is at Low Throttle Limit
Info	6:24	Raised Vibration Level
Info	6:33	Raised Vibration Level
Info	6:42	Raised Vibration Level
Info	6:48	Governor OFF
Info	6:48	Motor Switch operated to OFF
Info	6:51	Raised Vibration Level
Info	7:00	Raised Vibration Level
OK	7:10	Good Health Message (10sec)
Info	7:14	Governor Mode Pitch
Info	7:14	Motor Switch operated to ON
OK	7:24	Good Health Message (10sec)
Info	7:27	Governor is at Low Throttle Limit
Info	7:37	Raised Vibration Level
Info	7:46	Raised Vibration Level
Info	7:55	Raised Vibration Level
Info	8:05	Raised Vibration Level
Info	8:14	Raised Vibration Level
Info	8:17	Governor OFF
Info	8:17	Motor Switch operated to OFF
Warn	8:23	High Vibration Level
OK	8:33	Good Health Message (10sec)
Info	8:34	Governor Mode Pitch
Info	8:34	Motor Switch operated to ON
OK	8:44	Good Health Message (10sec)
Info	8:54	Governor OFF
Info	8:54	Motor Switch operated to OFF
OK	9:04	Good Health Message (10sec)
Info	9:06	Governor Mode Pitch
Info	9:06	Motor Switch operated to ON
OK	9:16	Good Health Message (10sec)
Info	9:21	Governor OFF
Info	9:21	Motor Switch operated to OFF
OK	9:31	Good Health Message (10sec)
Info	9:33	Governor Mode Pitch
Info	9:33	Motor Switch operated to ON
OK	9:43	Good Health Message (10sec)
Info	9:50	Governor OFF
Info	9:50	Motor Switch operated to OFF
OK	10:00	Good Health Message (10sec)
OK	10:10	Good Health Message (10sec)
OK	10:20	Good Health Message (10sec)

Info	10:21	Governor Mode Pitch
Info	10:21	Motor Switch operated to ON
OK	10:31	Good Health Message (10sec)
Info	10:39	Governor OFF
Info	10:39	Motor Switch operated to OFF
OK	10:49	Good Health Message (10sec)
OK	10:59	Good Health Message (10sec)
OK	11:09	Good Health Message (10sec)
Info	11:15	Governor Mode Pitch
Info	11:15	Motor Switch operated to ON
Info	11:16	Governor OFF
Info	11:16	Motor Switch operated to OFF
OK	0:00	Reset Reason: Power On
Info	0:00	Bank 2 Loaded
Info	0:00	Motor Switch operated to Idle bailout
Info	0:01	Motor Switch operated to OFF
Info	0:05	Calibration Finished
Info	0:12	Governor Mode Pitch
Info	0:12	Motor Switch operated to ON
OK	0:22	Good Health Message (10sec)
Info	0:32	Governor OFF
Info	0:32	Motor Switch operated to OFF
Info	0:34	Bank 1 Loaded
Info	0:35	Governor Mode Pitch
Info	0:35	Motor Switch operated to ON
OK	0:45	Good Health Message (10sec)
Info	0:51	Governor OFF
Info	0:51	Motor Switch operated to OFF
OK	1:01	Good Health Message (10sec)
OK	1:11	Good Health Message (10sec)
Info	1:13	Bank 2 Loaded
OK	1:23	Good Health Message (10sec)
OK	1:33	Good Health Message (10sec)
Info	1:40	Governor Mode Pitch
Info	1:40	Motor Switch operated to ON
Info	1:47	Governor OFF
Info	1:47	Motor Switch operated to OFF
OK	1:57	Good Health Message (10sec)
Info	2:01	Governor Mode Pitch
Info	2:01	Motor Switch operated to ON
OK	2:11	Good Health Message (10sec)
Info	2:19	Governor OFF
Info	2:19	Motor Switch operated to OFF
OK	2:29	Good Health Message (10sec)
OK	2:39	Good Health Message (10sec)
OK	0:00	Reset Reason: Power On
Info	0:00	Bank 2 Loaded
Info	0:00	Motor Switch operated to Idle bailout

```
OK      0:10    Good Health Message (10sec)
OK      0:20    Good Health Message (10sec)
OK      0:30    Good Health Message (10sec)
OK      0:40    Good Health Message (10sec)
OK      0:50    Good Health Message (10sec)
OK      1:00    Good Health Message (10sec)
OK      1:10    Good Health Message (10sec)
OK      1:20    Good Health Message (10sec)
OK      1:30    Good Health Message (10sec)

OK      0:00    Reset Reason: Power On

Info    0:00    Bank 2 Loaded

Info    0:00    Motor Switch operated to Idle bailout
OK      0:10    Good Health Message (10sec)
OK      0:20    Good Health Message (10sec)
OK      0:30    Good Health Message (10sec)
OK      0:40    Good Health Message (10sec)

OK      0:00    Reset Reason: Power On

Info    0:00    Bank 2 Loaded

Info    0:00    Motor Switch operated to Idle bailout
OK      0:10    Good Health Message (10sec)
OK      0:20    Good Health Message (10sec)
OK      0:30    Good Health Message (10sec)
OK      0:40    Good Health Message (10sec)
OK      0:50    Good Health Message (10sec)
OK      1:00    Good Health Message (10sec)
OK      1:10    Good Health Message (10sec)
OK      1:20    Good Health Message (10sec)
OK      1:30    Good Health Message (10sec)
OK      1:40    Good Health Message (10sec)
OK      1:50    Good Health Message (10sec)

OK      0:00    Reset Reason: Power On

Info    0:00    Bank 2 Loaded

Info    0:00    Motor Switch operated to Idle bailout
OK      0:10    Good Health Message (10sec)
---- end ----
```