

```
1 Tue Jul 26 07:01:07 2022
2 Serial: 20003436
3 Firmware: 6.3
4 Patchlevel: 43
5 ---- start ----
6
7 Info 0:00 Rescue has been completed
8 Info 0:02 Rescue has been activated
9 Info 0:03 Rescue has been completed
10 OK 0:13 Good Health Message (10sec)
11
12 OK 0:00 Reset Reason: Power On
13
14 Info 0:00 Bank 2 Loaded
15
16 Info 0:00 Motor Switch operated to Idle bailout
17 Info 0:01 Bank 1 Loaded
18 Info 0:01 Motor Switch operated to OFF
19 Info 0:05 Calibration Finished
20 Info 0:08 Rescue has been activated
21 Info 0:09 Rescue has been activated
22 Info 0:09 Rescue has been completed
23 Info 0:10 Rescue has been completed
24 OK 0:20 Good Health Message (10sec)
25 OK 0:30 Good Health Message (10sec)
26 OK 0:40 Good Health Message (10sec)
27 OK 0:50 Good Health Message (10sec)
28 OK 1:00 Good Health Message (10sec)
29 OK 1:10 Good Health Message (10sec)
30 OK 1:20 Good Health Message (10sec)
31 Warn 1:22 The Cyclic Ring is active
32 OK 1:32 Good Health Message (10sec)
33 OK 1:42 Good Health Message (10sec)
34 Info 1:48 Rescue has been activated
35 Info 1:49 Rescue has been completed
36 Info 1:53 Rescue has been activated
37 Info 1:54 Rescue has been completed
38 OK 2:04 Good Health Message (10sec)
39 OK 2:14 Good Health Message (10sec)
40 OK 2:24 Good Health Message (10sec)
41
42 OK 0:00 Reset Reason: Power On
43
44 Info 0:00 Bank 2 Loaded
45
46 Info 0:00 Motor Switch operated to Idle bailout
47 Info 0:01 Bank 1 Loaded
48 Info 0:01 Motor Switch operated to OFF
49 Info 0:05 Calibration Finished
50 OK 0:15 Good Health Message (10sec)
51 OK 0:25 Good Health Message (10sec)
52 OK 0:35 Good Health Message (10sec)
53 OK 0:45 Good Health Message (10sec)
54 OK 0:55 Good Health Message (10sec)
55 OK 1:05 Good Health Message (10sec)
56 OK 1:15 Good Health Message (10sec)
57
58 OK 0:00 Reset Reason: Power On
59
60 Info 0:00 Bank 2 Loaded
61
62 Info 0:00 Motor Switch operated to Idle bailout
63 Info 0:01 Bank 1 Loaded
64 Info 0:01 Motor Switch operated to OFF
65 Info 0:05 Calibration Finished
66 OK 0:15 Good Health Message (10sec)
67 OK 0:25 Good Health Message (10sec)
68 OK 0:35 Good Health Message (10sec)
69 Warn 0:44 The Cyclic Ring is active
70 Warn 0:45 The Cyclic Ring is active
71 OK 0:55 Good Health Message (10sec)
72 OK 1:05 Good Health Message (10sec)
73 OK 1:15 Good Health Message (10sec)
```

74	OK	1:25	Good Health Message (10sec)
75	OK	1:35	Good Health Message (10sec)
76	OK	1:45	Good Health Message (10sec)
77	OK	1:55	Good Health Message (10sec)
78	OK	2:05	Good Health Message (10sec)
79	Info	2:15	Rescue has been activated
80	Info	2:16	Rescue has been completed
81	Info	2:18	Rescue has been activated
82	Info	2:19	Rescue has been completed
83	OK	2:29	Good Health Message (10sec)
84	OK	2:31	Horizontal Calibration done
85	Info	2:38	Rescue has been activated
86	Info	2:39	Rescue has been completed
87	Info	2:41	Rescue has been activated
88	Info	2:41	Rescue has been completed
89	OK	2:51	Good Health Message (10sec)
90			
91	OK	0:00	Reset Reason: Power On
92			
93	Info	0:00	Bank 2 Loaded
94			
95	Info	0:00	Motor Switch operated to Idle bailout
96	Info	0:01	Bank 1 Loaded
97	Info	0:01	Motor Switch operated to OFF
98	Warn	0:02	Init Failed, retrying...
99	Info	0:07	Calibration Finished
100	Info	0:13	Rescue has been activated
101	Info	0:14	Rescue has been completed
102	OK	0:24	Good Health Message (10sec)
103	OK	0:34	Good Health Message (10sec)
104	Info	0:43	Bank 2 Loaded
105	Info	0:50	Bank 1 Loaded
106	Info	0:51	Governor Mode Pitch
107	Info	0:51	Motor Switch operated to ON
108	Info	0:53	Governor OFF
109	Info	0:53	Motor Switch operated to OFF
110	Info	0:56	Governor Mode Pitch
111	Info	0:56	Motor Switch operated to ON
112	Info	0:57	Governor OFF
113	Info	0:57	Motor Switch operated to OFF
114	Info	0:58	Governor Mode Pitch
115	Info	0:58	Motor Switch operated to ON
116	Info	0:59	Bank 2 Loaded
117	Info	1:02	Governor OFF
118	Info	1:02	Motor Switch operated to OFF
119	OK	1:12	Good Health Message (10sec)
120	OK	1:22	Good Health Message (10sec)
121	Info	1:23	Bank 1 Loaded
122	Info	1:23	Bank 2 Loaded
123	Info	1:31	Bank 1 Loaded
124	Info	1:31	Governor Mode Pitch
125	Info	1:31	Motor Switch operated to ON
126	Info	1:38	Raised Vibration Level
127	Info	1:40	Governor is at Low Throttle Limit
128	Critical	1:48	Extreme Vibration Level
129	Info	1:52	Governor OFF
130	Info	1:52	Motor Switch operated to OFF
131	Info	1:55	Bank 2 Loaded
132	Warn	1:57	High Vibration Level
133	Info	2:02	Governor Mode Pitch
134	Info	2:02	Motor Switch operated to ON
135	OK	2:12	Good Health Message (10sec)
136	Warn	2:15	High Vibration Level
137	Warn	2:24	High Vibration Level
138	Info	2:29	Governor OFF
139	Info	2:29	Motor Switch operated to OFF
140	Critical	2:33	Extreme Vibration Level
141	Info	2:43	Raised Vibration Level
142	Info	2:49	Bank 3 Loaded
143	Info	2:54	Bank 2 Loaded
144	Info	2:56	Governor Mode Pitch
145	Info	2:56	Motor Switch operated to ON
146	OK	3:06	Good Health Message (10sec)

147	Warn	3:10	High Vibration Level
148	Info	3:16	Governor OFF
149	Info	3:16	Motor Switch operated to OFF
150	Critical	3:19	Extreme Vibration Level
151	Critical	3:29	Extreme Vibration Level
152	OK	3:39	Good Health Message (10sec)
153	Info	3:40	Bank 3 Loaded
154	Info	3:48	Bank 2 Loaded
155	OK	3:58	Good Health Message (10sec)
156	Info	4:05	Bank 1 Loaded
157	Info	4:10	Bank 2 Loaded
158	Info	4:11	Governor Mode Pitch
159	Info	4:11	Motor Switch operated to ON
160	Info	4:14	Governor OFF
161	Info	4:14	Motor Switch operated to OFF
162	Info	4:18	Governor Mode Pitch
163	Info	4:18	Motor Switch operated to ON
164	OK	4:28	Good Health Message (10sec)
165	Critical	4:33	Extreme Vibration Level
166	Info	4:40	Governor OFF
167	Info	4:40	Motor Switch operated to OFF
168	Info	4:42	Raised Vibration Level
169	Critical	4:51	Extreme Vibration Level
170	Info	4:58	Bank 3 Loaded
171	Info	5:07	Bank 1 Loaded
172	Info	5:07	Bank 2 Loaded
173	OK	5:17	Good Health Message (10sec)
174	Info	5:22	Bank 3 Loaded
175	OK	5:32	Good Health Message (10sec)
176	Info	5:36	Bank 2 Loaded
177	Info	5:42	Governor Mode Pitch
178	Info	5:42	Motor Switch operated to ON
179	OK	5:52	Good Health Message (10sec)
180	Warn	5:55	High Vibration Level
181	Info	6:03	Governor OFF
182	Info	6:03	Motor Switch operated to OFF
183	Warn	6:05	High Vibration Level
184	Critical	6:14	Extreme Vibration Level
185	OK	6:24	Good Health Message (10sec)
186	OK	6:34	Good Health Message (10sec)
187	OK	6:44	Good Health Message (10sec)
188	OK	6:54	Good Health Message (10sec)
189	Info	7:02	Governor Mode Pitch
190	Info	7:02	Motor Switch operated to ON
191	Warn	7:09	High Vibration Level
192	Warn	7:18	High Vibration Level
193	Info	7:27	Raised Vibration Level
194	Warn	7:36	High Vibration Level
195	Warn	7:46	High Vibration Level
196	Info	7:52	Governor OFF
197	Info	7:52	Motor Switch operated to OFF
198	Info	7:55	Raised Vibration Level
199	Warn	8:04	High Vibration Level
200			
201	OK	0:00	Reset Reason: Power On
202			
203	Info	0:00	Bank 2 Loaded
204			
205	Info	0:00	Motor Switch operated to Idle bailout
206	Info	0:01	Bank 1 Loaded
207	Info	0:01	Motor Switch operated to OFF
208	Info	0:05	Calibration Finished
209	Info	0:07	Rescue has been activated
210	Info	0:08	Rescue has been completed
211	Info	0:15	Bank 2 Loaded
212	Info	0:22	Governor Mode Pitch
213	Info	0:22	Motor Switch operated to ON
214	OK	0:32	Good Health Message (10sec)
215	Warn	0:33	High Vibration Level
216	Info	0:42	Raised Vibration Level
217			
218	OK	0:00	Reset Reason: Power On
219			

220	Info	0:00	Bank 2 Loaded
221			
222	Info	0:00	Motor Switch operated to Idle bailout
223	Info	0:01	Motor Switch operated to OFF
224	Info	0:09	Calibration Finished
225	OK	0:19	Good Health Message (10sec)
226	OK	0:29	Good Health Message (10sec)
227	OK	0:39	Good Health Message (10sec)
228	OK	0:49	Good Health Message (10sec)
229	OK	0:59	Good Health Message (10sec)
230	OK	1:09	Good Health Message (10sec)
231	OK	1:19	Good Health Message (10sec)
232	OK	1:29	Good Health Message (10sec)
233	Info	1:33	Rescue has been activated
234	Info	1:37	Rescue has been completed
235	OK	1:47	Good Health Message (10sec)
236	OK	1:57	Good Health Message (10sec)
237	OK	2:07	Good Health Message (10sec)
238	OK	2:17	Good Health Message (10sec)
239	Warn	2:20	The Cyclic Ring is active
240	Warn	2:21	The Cyclic Ring is active
241	Warn	2:22	The Cyclic Ring is active
242	Warn	2:23	The Cyclic Ring is active
243	OK	2:33	Good Health Message (10sec)
244	OK	2:43	Good Health Message (10sec)
245	OK	2:53	Good Health Message (10sec)
246	OK	3:03	Good Health Message (10sec)
247	OK	3:13	Good Health Message (10sec)
248	OK	3:23	Good Health Message (10sec)
249			
250	OK	0:00	Reset Reason: Power On
251			
252	Info	0:00	Bank 2 Loaded
253			
254	Info	0:00	Motor Switch operated to Idle bailout
255	Info	0:01	Bank 1 Loaded
256	Info	0:01	Motor Switch operated to OFF
257	Warn	0:02	Init Failed, retrying...
258	Info	0:06	Calibration Finished
259	Info	0:09	Rescue has been activated
260	Info	0:11	Rescue has been completed
261	Info	0:15	Rescue has been activated
262	Info	0:18	Rescue has been completed
263	Info	0:22	Rescue has been activated
264	Info	0:22	Rescue has been completed
265	Info	0:23	Rescue has been activated
266	Info	0:24	Rescue has been activated
267	Info	0:25	Rescue has been activated
268	Info	0:25	Rescue has been completed
269	Info	0:26	Rescue has been completed
270	Info	0:28	Rescue has been activated
271	Info	0:29	Rescue has been activated
272	Info	0:29	Rescue has been completed
273	Info	0:30	Rescue has been completed
274	Info	0:33	Rescue has been activated
275	Info	0:33	Rescue has been completed
276	Info	0:34	Rescue has been activated
277	Info	0:35	Rescue has been completed
278	OK	0:45	Good Health Message (10sec)
279	OK	0:55	Good Health Message (10sec)
280	OK	1:05	Good Health Message (10sec)
281	Warn	1:11	High Vibration Level
282	Critical	1:19	Aileron Sensor Value out of Range
283	Warn	1:20	High Vibration Level
284	Critical	1:20	Aileron Sensor Value out of Range
285	Critical	1:21	Aileron Sensor Value out of Range
286	Critical	1:29	Extreme Vibration Level
287	Critical	1:32	Aileron Sensor Value out of Range
288	Critical	1:38	Extreme Vibration Level
289	Critical	1:47	Extreme Vibration Level
290	Info	1:57	Raised Vibration Level
291	Warn	2:06	High Vibration Level
292	Info	2:15	Raised Vibration Level

293	Critical	2:24	Extreme Vibration Level
294			
295	OK	0:00	Reset Reason: Power On
296			
297	Info	0:00	Bank 2 Loaded
298			
299	Warn	0:00	The Cyclic Ring is active
300			
301	Critical	0:00	Aileron Sensor Value out of Range
302			
303	Critical	0:00	Elevator Sensor Value out of Range
304			
305	Info	0:00	Motor Switch operated to Idle bailout
306	Info	0:01	Bank 1 Loaded
307	Info	0:01	Motor Switch operated to OFF
308	Warn	0:02	Init Failed, retrying...
309	Critical	0:02	Elevator Sensor Value out of Range
310	Warn	0:04	Init Failed, retrying...
311	Warn	0:05	Init Failed, retrying...
312	Warn	0:06	Init Failed, retrying...
313	Warn	0:12	Init Failed, retrying...
314	Warn	0:13	Init Failed, retrying...
315	Warn	0:14	Init Failed, retrying...
316	Warn	0:16	Init Failed, retrying...
317	Warn	0:17	Init Failed, retrying...
318			
319	OK	0:00	Reset Reason: Power On
320			
321	Info	0:00	Bank 2 Loaded
322			
323	Info	0:00	Motor Switch operated to Idle bailout
324	Info	0:01	Bank 1 Loaded
325	Info	0:01	Motor Switch operated to OFF
326	Info	0:05	Calibration Finished
327	OK	0:15	Good Health Message (10sec)
328	OK	0:25	Good Health Message (10sec)
329	OK	0:35	Good Health Message (10sec)
330	OK	0:45	Good Health Message (10sec)
331	OK	0:55	Good Health Message (10sec)
332	OK	1:05	Good Health Message (10sec)
333	OK	1:15	Good Health Message (10sec)
334	OK	1:25	Good Health Message (10sec)
335	OK	1:35	Good Health Message (10sec)
336	OK	1:45	Good Health Message (10sec)
337	OK	1:55	Good Health Message (10sec)
338	OK	2:05	Good Health Message (10sec)
339	OK	2:15	Good Health Message (10sec)
340	OK	2:25	Good Health Message (10sec)
341	OK	2:35	Good Health Message (10sec)
342	OK	2:45	Good Health Message (10sec)
343	OK	2:55	Good Health Message (10sec)
344	OK	3:05	Good Health Message (10sec)
345	OK	3:15	Good Health Message (10sec)
346	OK	3:25	Good Health Message (10sec)
347	OK	3:35	Good Health Message (10sec)
348	OK	3:45	Good Health Message (10sec)
349	OK	3:55	Good Health Message (10sec)
350			
351	OK	0:00	Reset Reason: Power On
352			
353	Info	0:00	Bank 2 Loaded
354			
355	Info	0:00	Motor Switch operated to Idle bailout
356	Info	0:01	Bank 1 Loaded
357	Info	0:01	Motor Switch operated to OFF
358	Warn	0:02	Init Failed, retrying...
359	Warn	0:05	Init Failed, retrying...
360	Warn	0:07	Init Failed, retrying...
361	Info	0:11	Calibration Finished
362	OK	0:21	Good Health Message (10sec)
363	OK	0:31	Good Health Message (10sec)
364	OK	0:41	Good Health Message (10sec)
365	OK	0:51	Good Health Message (10sec)

```
366 OK      1:01    Good Health Message (10sec)
367 OK      1:11    Good Health Message (10sec)
368 OK      1:21    Good Health Message (10sec)
369 OK      1:31    Good Health Message (10sec)
370 OK      1:41    Good Health Message (10sec)
371 OK      1:51    Good Health Message (10sec)
372
373 OK      0:00    Reset Reason: Power On
374
375 Info     0:00    Bank 2 Loaded
376
377 Info     0:00    Motor Switch operated to Idle bailout
378 OK      0:10    Good Health Message (10sec)
379 ---- end ----
380
```