

```
1 Tue Jul 26 07:10:47 2022
2 Serial: 20018610
3 Firmware: 6.3
4 Patchlevel: 63
5 ---- start ----
6
7 Info 0:00 Raised Vibration Level
8 Info 0:09 Raised Vibration Level
9 Info 0:18 Raised Vibration Level
10 Info 0:25 Motor Switch operated to OFF
11 Info 0:27 Bank 1 Loaded
12 Warn 0:27 High Vibration Level
13 OK 0:37 Good Health Message (10sec)
14 OK 0:47 Good Health Message (10sec)
15
16 OK 0:00 Reset Reason: Power On
17
18 Info 0:00 Bank 2 Loaded
19
20 Info 0:00 Motor Switch operated to OFF
21
22 Info 0:00 Motor Switch operated to Idle bailout
23 Info 0:01 Bank 1 Loaded
24 Info 0:05 Calibration Finished
25 Info 0:14 Rescue has been activated
26 Info 0:15 Rescue has been completed
27 Info 0:17 Rescue has been activated
28 Info 0:18 Rescue has been completed
29 OK 0:28 Good Health Message (10sec)
30 OK 0:38 Good Health Message (10sec)
31 Info 0:44 Bank 2 Loaded
32 OK 0:54 Good Health Message (10sec)
33 Info 0:59 Motor Switch operated to ON
34 OK 1:09 Good Health Message (10sec)
35 Info 1:18 Raised Vibration Level
36 Info 1:28 Raised Vibration Level
37 Info 1:37 Raised Vibration Level
38 Warn 1:46 High Vibration Level
39 Info 1:55 Raised Vibration Level
40 Info 2:04 Raised Vibration Level
41 OK 2:14 Good Health Message (10sec)
42 Info 2:23 Raised Vibration Level
43 Info 2:32 Raised Vibration Level
44 Info 2:38 Motor Switch operated to OFF
45 OK 2:48 Good Health Message (10sec)
46 Critical 2:50 Extreme Vibration Level
47 Info 2:53 Motor Switch operated to ON
48 OK 3:03 Good Health Message (10sec)
49 OK 3:13 Good Health Message (10sec)
50 Info 3:18 Raised Vibration Level
51 Warn 3:27 High Vibration Level
52 Warn 3:36 High Vibration Level
53 Info 3:38 Motor Switch operated to OFF
54 Warn 3:45 High Vibration Level
55 Info 3:53 Motor Switch operated to ON
56 OK 4:03 Good Health Message (10sec)
57 Info 4:13 Raised Vibration Level
58 Info 4:22 Raised Vibration Level
59 OK 4:32 Good Health Message (10sec)
60 Warn 4:40 High Vibration Level
61 Info 4:50 Raised Vibration Level
62 Info 4:59 Raised Vibration Level
63 Warn 5:08 High Vibration Level
64 Info 5:17 Raised Vibration Level
65 Info 5:26 Raised Vibration Level
66 Info 5:35 Raised Vibration Level
67 Info 5:45 Raised Vibration Level
68 Info 5:54 Raised Vibration Level
69 Info 6:02 Motor Switch operated to OFF
70 Info 6:03 Raised Vibration Level
71 Info 6:06 Bank 1 Loaded
72 Warn 6:12 High Vibration Level
73 OK 6:22 Good Health Message (10sec)
```

74	Info	6:23	Rescue has been activated
75	Info	6:23	Rescue has been completed
76			
77	OK	0:00	Reset Reason: Power On
78			
79	Info	0:00	Bank 2 Loaded
80			
81	Info	0:00	Motor Switch operated to OFF
82			
83	Info	0:00	Motor Switch operated to Idle bailout
84	Info	0:01	Bank 1 Loaded
85	Info	0:05	Calibration Finished
86	Info	0:13	Rescue has been activated
87	Info	0:14	Rescue has been completed
88	Info	0:22	Rescue has been activated
89	Info	0:23	Rescue has been completed
90	Info	0:26	Bank 2 Loaded
91	OK	0:36	Good Health Message (10sec)
92	Info	0:42	Motor Switch operated to ON
93	OK	0:52	Good Health Message (10sec)
94	OK	1:02	Good Health Message (10sec)
95	Info	1:09	Raised Vibration Level
96	Info	1:18	Raised Vibration Level
97	Info	1:22	Rescue has been activated
98	Info	1:23	Rescue has been completed
99	Warn	1:23	Rescue has been oversteered by the Pilot
100	Info	1:25	Bank 3 Loaded
101	Critical	1:25	Aileron Sensor Value out of Range
102	Critical	1:25	Elevator Sensor Value out of Range
103	Info	1:25	Rescue has been activated
104	Warn	1:26	The Cyclic Ring is active
105	Critical	1:26	Aileron Sensor Value out of Range
106	Critical	1:26	Elevator Sensor Value out of Range
107	Info	1:26	Motor Switch operated to OFF
108	Warn	1:28	High Vibration Level
109	Info	1:28	Rescue has been completed
110	OK	1:38	Good Health Message (10sec)
111	Info	1:44	Bank 2 Loaded
112	Info	1:45	Bank 1 Loaded
113	Info	1:45	Bank 2 Loaded
114	Info	1:52	Bank 1 Loaded
115			
116	OK	0:00	Reset Reason: Power On
117			
118	Info	0:00	Bank 2 Loaded
119			
120	Info	0:00	Motor Switch operated to OFF
121			
122	Info	0:00	Motor Switch operated to Idle bailout
123	Info	0:01	Bank 1 Loaded
124	Info	0:07	Calibration Finished
125	OK	0:17	Good Health Message (10sec)
126	OK	0:27	Good Health Message (10sec)
127	OK	0:37	Good Health Message (10sec)
128	OK	0:47	Good Health Message (10sec)
129	OK	0:57	Good Health Message (10sec)
130	OK	1:07	Good Health Message (10sec)
131	OK	1:17	Good Health Message (10sec)
132	OK	1:27	Good Health Message (10sec)
133	OK	1:37	Good Health Message (10sec)
134	OK	1:47	Good Health Message (10sec)
135	OK	1:57	Good Health Message (10sec)
136	Info	2:00	Rescue has been activated
137	Info	2:00	Rescue has been completed
138	Info	2:03	Rescue has been activated
139	Info	2:04	Rescue has been completed
140	Info	2:07	Rescue has been activated
141	Info	2:08	Rescue has been completed
142	OK	2:18	Good Health Message (10sec)
143			
144	OK	0:00	Reset Reason: Power On
145			
146	Info	0:00	Bank 2 Loaded

147
148 Info 0:00 Motor Switch operated to Idle bailout
149 Info 0:01 Bank 1 Loaded
150 Info 0:01 Motor Switch operated to OFF
151 Warn 0:02 Init Failed, retrying...
152 Info 0:06 Calibration Finished
153 OK 0:16 Good Health Message (10sec)
154 OK 0:26 Good Health Message (10sec)
155 OK 0:36 Good Health Message (10sec)
156 OK 0:46 Good Health Message (10sec)
157 OK 0:56 Good Health Message (10sec)
158 OK 1:06 Good Health Message (10sec)
159 OK 1:16 Good Health Message (10sec)
160 OK 1:26 Good Health Message (10sec)
161 OK 1:36 Good Health Message (10sec)
162 OK 1:46 Good Health Message (10sec)
163 OK 1:56 Good Health Message (10sec)
164 OK 2:06 Good Health Message (10sec)
165 OK 2:16 Good Health Message (10sec)
166 OK 2:26 Good Health Message (10sec)
167 OK 2:36 Good Health Message (10sec)
168 OK 2:46 Good Health Message (10sec)
169 OK 2:56 Good Health Message (10sec)
170 OK 3:06 Good Health Message (10sec)
171 OK 3:16 Good Health Message (10sec)
172 OK 3:26 Good Health Message (10sec)
173 OK 3:36 Good Health Message (10sec)
174 OK 3:46 Good Health Message (10sec)
175 OK 3:56 Good Health Message (10sec)
176 OK 4:06 Good Health Message (10sec)
177 OK 4:16 Good Health Message (10sec)
178
179 OK 0:00 Reset Reason: Power On
180
181 Info 0:00 Bank 2 Loaded
182
183 Info 0:00 Motor Switch operated to OFF
184
185 Info 0:00 Motor Switch operated to Idle bailout
186 Info 0:01 Bank 1 Loaded
187 Info 0:05 Calibration Finished
188
189 OK 0:00 Reset Reason: Power On
190
191 Info 0:00 Bank 2 Loaded
192
193 Info 0:00 Motor Switch operated to OFF
194
195 Info 0:00 Motor Switch operated to Idle bailout
196 Info 0:01 Bank 1 Loaded
197 Info 0:05 Calibration Finished
198 OK 0:15 Good Health Message (10sec)
199 Info 0:24 Rescue has been activated
200 Info 0:25 Rescue has been completed
201 Info 0:27 Rescue has been activated
202 Info 0:28 Rescue has been activated
203 Info 0:29 Rescue has been completed
204 Info 0:35 Rescue has been activated
205 Info 0:36 Rescue has been completed
206 Info 0:43 Rescue has been activated
207 Info 0:44 Rescue has been activated
208 Info 0:44 Rescue has been completed
209 Info 0:45 Rescue has been completed
210 Warn 0:45 Rescue has been oversteered by the Pilot
211 Info 0:47 Rescue has been activated
212 Warn 0:48 The Cyclic Ring is active
213 Info 0:49 Rescue has been activated
214 Info 0:51 Rescue has been activated
215 Info 0:53 Rescue has been activated
216 Info 0:55 Rescue has been activated
217 Info 0:56 Rescue has been activated
218 Warn 0:57 The Cyclic Ring is active
219 Info 0:59 Rescue has been activated

220	Info	1:00	Rescue has been completed
221	Info	1:04	Rescue has been activated
222	Info	1:05	Rescue has been completed
223	Info	1:09	Raised Vibration Level
224	Info	1:09	Rescue has been activated
225	Info	1:10	Rescue has been completed
226	Info	1:14	Rescue has been activated
227	Info	1:15	Rescue has been completed
228	Warn	1:15	Rescue has been oversteered by the Pilot
229	OK	1:25	Good Health Message (10sec)
230	Info	1:35	Rescue has been activated
231	Info	1:36	Rescue has been completed
232	Warn	1:36	Rescue has been oversteered by the Pilot
233	Info	1:40	Rescue has been activated
234	Info	1:41	Rescue has been completed
235	Info	1:49	Rescue has been activated
236	Info	1:50	Rescue has been completed
237	Info	1:54	Rescue has been activated
238	Info	1:55	Rescue has been completed
239	Warn	1:55	Rescue has been oversteered by the Pilot
240	Info	1:58	Rescue has been activated
241	Warn	1:59	The Cyclic Ring is active
242	Info	1:59	Rescue has been completed
243	Warn	1:59	Rescue has been oversteered by the Pilot
244			
245	OK	0:00	Reset Reason: Power On
246			
247	Info	0:00	Bank 2 Loaded
248			
249	Info	0:00	Motor Switch operated to Idle bailout
250	Info	0:01	Bank 1 Loaded
251	Info	0:01	Motor Switch operated to OFF
252	Warn	0:02	Init Failed, retrying...
253	OK	0:12	Good Health Message (10sec)
254	OK	0:22	Good Health Message (10sec)
255	Warn	0:26	Init Failed, retrying...
256	Warn	0:28	Init Failed, retrying...
257	Warn	0:29	Init Failed, retrying...
258	Warn	0:30	Init Failed, retrying...
259			
260	OK	0:00	Reset Reason: Power On
261			
262	Info	0:00	Bank 2 Loaded
263			
264	Info	0:00	Motor Switch operated to Idle bailout
265	Info	0:01	Bank 1 Loaded
266	Info	0:01	Motor Switch operated to OFF
267	Info	0:11	Calibration Finished
268	OK	0:21	Good Health Message (10sec)
269	Info	0:22	Rescue has been activated
270	Info	0:22	Rescue has been completed
271	Info	0:26	Rescue has been activated
272	Info	0:26	Rescue has been completed
273	OK	0:36	Good Health Message (10sec)
274			
275	OK	0:00	Reset Reason: Power On
276			
277	Info	0:00	Bank 2 Loaded
278			
279	Info	0:00	Motor Switch operated to OFF
280			
281	Info	0:00	Motor Switch operated to Idle bailout
282	Info	0:01	Bank 1 Loaded
283	Info	0:05	Calibration Finished
284	Info	0:08	Rescue has been activated
285	Info	0:11	Rescue has been completed
286	Info	0:14	Rescue has been activated
287	Info	0:17	Rescue has been completed
288	Info	0:25	Rescue has been activated
289	Info	0:28	Rescue has been completed
290	Info	0:34	Rescue has been activated
291	Info	0:35	Rescue has been completed
292	Info	0:40	Rescue has been activated

293	Info	0:41	Rescue has been completed
294	Info	0:42	Rescue has been activated
295	Info	0:43	Rescue has been activated
296	Info	0:43	Rescue has been completed
297	Info	0:44	Rescue has been activated
298	Info	0:46	Rescue has been activated
299	Info	0:46	Rescue has been completed
300	Info	0:47	Rescue has been completed
301	Info	0:51	Rescue has been activated
302	Info	0:52	Rescue has been activated
303	Info	0:52	Rescue has been completed
304	Info	0:53	Rescue has been completed
305	OK	1:03	Good Health Message (10sec)
306	OK	1:13	Good Health Message (10sec)
307	OK	1:23	Good Health Message (10sec)
308			
309	OK	0:00	Reset Reason: Power On
310			
311	Info	0:00	Bank 2 Loaded
312			
313	Info	0:00	Motor Switch operated to OFF
314			
315	Info	0:00	Motor Switch operated to Idle bailout
316	Info	0:01	Bank 1 Loaded
317	Info	0:05	Calibration Finished
318	OK	0:15	Good Health Message (10sec)
319	OK	0:25	Good Health Message (10sec)
320	OK	0:35	Good Health Message (10sec)
321	OK	0:45	Good Health Message (10sec)
322	OK	0:55	Good Health Message (10sec)
323	OK	1:05	Good Health Message (10sec)
324	OK	1:15	Good Health Message (10sec)
325	OK	1:25	Good Health Message (10sec)
326	OK	1:35	Good Health Message (10sec)
327	OK	1:45	Good Health Message (10sec)
328	Info	1:46	Bank 2 Loaded
329	Info	1:46	Motor Switch operated to Idle bailout
330	Warn	1:48	Init Failed, retrying...
331	OK	1:58	Good Health Message (10sec)
332			
333	OK	0:00	Reset Reason: Power On
334			
335	Info	0:00	Bank 2 Loaded
336			
337	Info	0:00	Motor Switch operated to Idle bailout
338	Warn	0:02	Init Failed, retrying...
339			
340	OK	0:00	Reset Reason: Power On
341			
342	Info	0:00	Bank 2 Loaded
343			
344	Info	0:00	Motor Switch operated to Idle bailout
345	Warn	0:02	Init Failed, retrying...
346	Warn	0:04	Init Failed, retrying...
347	Warn	0:06	Init Failed, retrying...
348	Warn	0:07	Init Failed, retrying...
349	Warn	0:09	Init Failed, retrying...
350	Warn	0:10	Init Failed, retrying...
351	Warn	0:11	Init Failed, retrying...
352	Warn	0:13	Init Failed, retrying...
353	Critical	0:13	Aileron Sensor Value out of Range
354	Warn	0:14	Init Failed, retrying...
355	Warn	0:15	Init Failed, retrying...
356	Critical	0:15	Aileron Sensor Value out of Range
357	Warn	0:17	Init Failed, retrying...
358	Warn	0:18	Init Failed, retrying...
359	Warn	0:19	Init Failed, retrying...
360	Warn	0:21	Init Failed, retrying...
361	Warn	0:22	Init Failed, retrying...
362			
363	OK	0:00	Reset Reason: Power On
364			
365	Info	0:00	Bank 2 Loaded

```
366
367 Info      0:00   Motor Switch operated to Idle bailout
368 Warn      0:02   Init Failed, retrying...
369
370 OK        0:00   Reset Reason: Power On
371
372 Info      0:00   Bank 2 Loaded
373
374 Info      0:00   Motor Switch operated to Idle bailout
375 Warn      0:02   Init Failed, retrying...
376 OK        0:12   Good Health Message (10sec)
377 ---- end ----
378
```