

Sun Aug 07 09:47:53 2022

Serial: 20047604

Firmware: 6.3

Patchlevel: 68

---- start ----

Warn	0:02	High Vibration Level
Warn	0:11	High Vibration Level
Info	0:19	Governor Mode Pitch
Info	0:19	Motor Switch operated to ON
Warn	0:29	High Vibration Level
Warn	0:38	High Vibration Level
Critical	0:47	Extreme Vibration Level
Critical	0:57	Extreme Vibration Level
Info	1:06	Raised Vibration Level
Info	1:11	Governor OFF
Info	1:11	Motor Switch operated to OFF
Warn	1:15	High Vibration Level
Critical	1:24	Extreme Vibration Level
OK	1:34	Good Health Message (10sec)
OK	1:44	Good Health Message (10sec)
OK	1:54	Good Health Message (10sec)
OK	2:04	Good Health Message (10sec)
OK	2:14	Good Health Message (10sec)
Info	2:19	Governor Mode Pitch
Info	2:19	Motor Switch operated to ON
Warn	2:28	High Vibration Level
Warn	2:38	High Vibration Level
Warn	2:47	High Vibration Level
Info	2:56	Raised Vibration Level
Info	3:05	Raised Vibration Level
Critical	3:14	Extreme Vibration Level
Warn	3:24	High Vibration Level
Info	3:33	Raised Vibration Level
Info	3:42	Raised Vibration Level
Info	3:45	Governor OFF
Info	3:45	Motor Switch operated to OFF
Info	3:50	Bank 1 Loaded
Critical	3:51	Extreme Vibration Level
OK	4:01	Good Health Message (10sec)
OK	4:11	Good Health Message (10sec)
OK	0:00	Reset Reason: Power On
Info	0:00	Bank 2 Loaded
Info	0:00	Motor Switch operated to OFF
Info	0:00	Motor Switch operated to Idle bailout
Info	0:01	Bank 1 Loaded
Info	0:05	Calibration Finished
OK	0:15	Good Health Message (10sec)
Warn	0:22	The Cyclic Ring is active
Info	0:27	Rescue has been activated
Info	0:28	Rescue has been completed

Info	0:29	Bank 2 Loaded
OK	0:39	Good Health Message (10sec)
Info	0:48	Governor Mode Pitch
Info	0:48	Motor Switch operated to ON
OK	0:58	Good Health Message (10sec)
Warn	1:00	High Vibration Level
Warn	1:09	High Vibration Level
Critical	1:18	Extreme Vibration Level
Info	1:28	Raised Vibration Level
Info	1:37	Raised Vibration Level
Info	1:44	Governor OFF
Info	1:44	Motor Switch operated to OFF
Info	1:46	Raised Vibration Level
Critical	1:55	Extreme Vibration Level
Info	1:59	Governor Mode Pitch
Info	1:59	Motor Switch operated to ON
OK	2:09	Good Health Message (10sec)
Warn	2:14	High Vibration Level
Critical	2:23	Extreme Vibration Level
Warn	2:32	High Vibration Level
Info	2:41	Raised Vibration Level
Info	2:50	Raised Vibration Level
Warn	2:59	High Vibration Level
Critical	3:09	Extreme Vibration Level
Critical	3:18	Extreme Vibration Level
Warn	3:27	High Vibration Level
Critical	3:36	Extreme Vibration Level
Info	3:45	Raised Vibration Level
Warn	3:55	High Vibration Level
Critical	4:04	Extreme Vibration Level
Critical	4:13	Extreme Vibration Level
Warn	4:22	High Vibration Level
Critical	4:31	Extreme Vibration Level
Critical	4:40	Extreme Vibration Level
Info	4:43	Governor OFF
Info	4:43	Motor Switch operated to OFF
Critical	4:50	Extreme Vibration Level
OK	5:00	Good Health Message (10sec)
OK	5:10	Good Health Message (10sec)
OK	5:20	Good Health Message (10sec)
Info	5:24	Governor Mode Pitch
Info	5:24	Motor Switch operated to ON
OK	5:34	Good Health Message (10sec)
Critical	5:36	Extreme Vibration Level
Critical	5:45	Extreme Vibration Level
Critical	5:54	Extreme Vibration Level
Warn	6:03	High Vibration Level
Info	6:10	Governor OFF
Info	6:10	Motor Switch operated to OFF
Critical	6:12	Extreme Vibration Level
Info	6:15	Bank 1 Loaded
Critical	6:21	Extreme Vibration Level
Info	6:27	Bank 2 Loaded
OK	6:37	Good Health Message (10sec)

OK	0:00	Reset Reason: Power On
Info	0:00	Bank 2 Loaded
Info	0:00	Motor Switch operated to Idle bailout
Info	0:01	Bank 1 Loaded
Info	0:01	Motor Switch operated to OFF
Info	0:05	Calibration Finished
Info	0:11	Rescue has been activated
Info	0:11	Rescue has been completed
Info	0:12	Rescue has been activated
Info	0:13	Rescue has been completed
Info	0:14	Rescue has been activated
Info	0:15	Rescue has been completed
Info	0:23	Bank 2 Loaded
OK	0:33	Good Health Message (10sec)
OK	0:43	Good Health Message (10sec)
Info	0:48	Governor Mode Pitch
Info	0:48	Motor Switch operated to ON
OK	0:58	Good Health Message (10sec)
Warn	1:00	High Vibration Level
Warn	1:09	High Vibration Level
Critical	1:18	Extreme Vibration Level
Warn	1:28	High Vibration Level
Critical	1:37	Extreme Vibration Level
Critical	1:46	Extreme Vibration Level
Info	1:55	Raised Vibration Level
Critical	2:04	Extreme Vibration Level
Info	2:13	Raised Vibration Level
Info	2:16	Governor OFF
Info	2:16	Motor Switch operated to OFF
Critical	2:23	Extreme Vibration Level
Info	2:29	Governor Mode Pitch
Info	2:29	Motor Switch operated to ON
OK	2:39	Good Health Message (10sec)
Critical	2:41	Extreme Vibration Level
Warn	2:50	High Vibration Level
Warn	2:59	High Vibration Level
Warn	3:09	High Vibration Level
Warn	3:18	High Vibration Level
Warn	3:27	High Vibration Level
Critical	3:36	Extreme Vibration Level
Critical	3:45	Extreme Vibration Level
Warn	3:54	High Vibration Level
Warn	4:04	High Vibration Level
Critical	4:13	Extreme Vibration Level
Info	4:22	Raised Vibration Level
Info	4:31	Raised Vibration Level
Info	4:32	Governor OFF
Info	4:32	Motor Switch operated to OFF
Critical	4:40	Extreme Vibration Level
OK	4:50	Good Health Message (10sec)
Info	4:56	Governor Mode Pitch

Info	4:56	Motor Switch operated to ON
OK	5:06	Good Health Message (10sec)
Critical	5:08	Extreme Vibration Level
Critical	5:17	Extreme Vibration Level
Warn	5:26	High Vibration Level
Info	5:34	Governor OFF
Info	5:34	Motor Switch operated to OFF
Info	5:35	Raised Vibration Level
Info	5:39	Bank 1 Loaded
Critical	5:45	Extreme Vibration Level
OK	5:55	Good Health Message (10sec)
OK	0:00	Reset Reason: Power On
Info	0:00	Bank 2 Loaded
Info	0:00	Motor Switch operated to OFF
Info	0:00	Motor Switch operated to Idle bailout
Info	0:01	Bank 1 Loaded
Warn	0:02	Init Failed, retrying...
Info	0:06	Calibration Finished
OK	0:16	Good Health Message (10sec)
OK	0:26	Good Health Message (10sec)
OK	0:36	Good Health Message (10sec)
OK	0:46	Good Health Message (10sec)
Info	0:56	Rescue has been activated
Info	0:57	Rescue has been completed
OK	1:07	Good Health Message (10sec)
Info	1:11	Governor Mode Pitch
Info	1:11	Motor Switch operated to ON
Critical	1:20	Extreme Vibration Level
Info	1:28	Governor OFF
Info	1:28	Motor Switch operated to OFF
Warn	1:29	High Vibration Level
Warn	1:38	High Vibration Level
OK	1:48	Good Health Message (10sec)
Info	1:53	Bank 2 Loaded
Info	1:56	Governor Mode Pitch
Info	1:56	Motor Switch operated to ON
Critical	2:06	Extreme Vibration Level
Warn	2:15	High Vibration Level
Warn	2:24	High Vibration Level
Warn	2:33	High Vibration Level
Warn	2:42	High Vibration Level
Info	2:51	Governor OFF
Info	2:51	Motor Switch operated to OFF
Info	2:52	Raised Vibration Level
Warn	3:01	High Vibration Level
OK	3:11	Good Health Message (10sec)
Info	3:12	Governor Mode Pitch
Info	3:12	Motor Switch operated to ON
Critical	3:19	Extreme Vibration Level
Info	3:21	Governor OFF

Info	3:21	Motor Switch operated to OFF
Critical	3:28	Extreme Vibration Level
Info	3:28	Governor Mode Pitch
Info	3:28	Motor Switch operated to ON
Warn	3:38	High Vibration Level
Warn	3:47	High Vibration Level
Info	3:56	Raised Vibration Level
Warn	4:05	High Vibration Level
Info	4:07	Governor OFF
Info	4:07	Motor Switch operated to OFF
Warn	4:14	High Vibration Level
OK	4:24	Good Health Message (10sec)
OK	4:34	Good Health Message (10sec)
OK	4:44	Good Health Message (10sec)
OK	4:54	Good Health Message (10sec)
OK	5:04	Good Health Message (10sec)
OK	5:14	Good Health Message (10sec)
Info	5:24	Bank 1 Loaded
OK	5:34	Good Health Message (10sec)
Info	5:35	Governor Mode Pitch
Info	5:35	Motor Switch operated to ON
OK	5:45	Good Health Message (10sec)
Warn	5:46	High Vibration Level
Warn	5:55	High Vibration Level
Info	6:04	Raised Vibration Level
Info	6:14	Raised Vibration Level
Info	6:23	Raised Vibration Level
Warn	6:32	High Vibration Level
Info	6:36	Governor OFF
Info	6:36	Motor Switch operated to OFF
Critical	6:41	Extreme Vibration Level
OK	6:51	Good Health Message (10sec)
OK	7:01	Good Health Message (10sec)
OK	0:00	Reset Reason: Power On
Info	0:00	Bank 2 Loaded
Info	0:00	Motor Switch operated to OFF
Info	0:00	Motor Switch operated to Idle bailout
Info	0:01	Bank 1 Loaded
Info	0:05	Calibration Finished
Info	0:08	Rescue has been activated
Info	0:09	Rescue has been completed
Info	0:11	Rescue has been activated
Info	0:12	Rescue has been completed
Info	0:22	Bank 2 Loaded
Info	0:23	Bank 1 Loaded
Info	0:26	Governor Mode Pitch
Info	0:26	Motor Switch operated to ON
Info	0:32	Raised Vibration Level
Warn	0:42	High Vibration Level
Warn	0:51	High Vibration Level

Critical	1:00	Extreme Vibration Level
Critical	1:09	Extreme Vibration Level
Critical	1:18	Extreme Vibration Level
Info	1:28	Raised Vibration Level
Warn	1:37	High Vibration Level
Warn	1:46	High Vibration Level
Info	1:55	Raised Vibration Level
Critical	2:04	Extreme Vibration Level
Info	2:09	Governor Sensor no Signal
Warn	2:13	High Vibration Level
Warn	2:14	The Cyclic Ring is active
Info	2:14	Rescue has been activated
Warn	2:15	The Cyclic Ring is active
Info	2:15	Rescue has been activated
Warn	2:16	The Cyclic Ring is active
Critical	2:16	Aileron Sensor Value out of Range
Info	2:16	Governor OFF
Info	2:16	Motor Switch operated to OFF
Warn	2:17	The Cyclic Ring is active
Warn	2:18	The Cyclic Ring is active
Info	2:19	Rescue has been completed
Warn	2:23	High Vibration Level
OK	2:33	Good Health Message (10sec)
OK	2:43	Good Health Message (10sec)
OK	2:53	Good Health Message (10sec)
OK	3:03	Good Health Message (10sec)
OK	3:13	Good Health Message (10sec)
OK	3:23	Good Health Message (10sec)
OK	3:33	Good Health Message (10sec)
OK	3:43	Good Health Message (10sec)
OK	3:53	Good Health Message (10sec)
OK	4:03	Good Health Message (10sec)
OK	4:13	Good Health Message (10sec)
OK	4:23	Good Health Message (10sec)
OK	4:33	Good Health Message (10sec)
OK	4:43	Good Health Message (10sec)
OK	4:53	Good Health Message (10sec)
OK	5:03	Good Health Message (10sec)
OK	0:00	Reset Reason: Power On
Info	0:00	Bank 2 Loaded
Info	0:00	Motor Switch operated to OFF
Info	0:00	Motor Switch operated to Idle bailout
Info	0:01	Bank 1 Loaded
Warn	0:02	Init Failed, retrying...
Info	0:11	Calibration Finished
OK	0:21	Good Health Message (10sec)
OK	0:31	Good Health Message (10sec)
OK	0:41	Good Health Message (10sec)
OK	0:51	Good Health Message (10sec)

```
OK      0:00  Reset Reason: Power On

Info    0:00  Bank 2 Loaded

Info    0:00  Motor Switch operated to Idle bailout
OK      0:10  Good Health Message (10sec)
OK      0:20  Good Health Message (10sec)

OK      0:00  Reset Reason: Power On

Info    0:00  Bank 2 Loaded

Info    0:00  Motor Switch operated to Idle bailout
OK      0:10  Good Health Message (10sec)
---- end ----
```